

M.2 PCle NVMe EX2

PCIe NVMe SSD

PCIe NVMe Solid State Drive



M.2 PCIe NVMe EX2 is a PCIe NVMe M.2 2280 type Solid State Drive. It supports a max read speed of up to 3600 MB/sec and a max write speed as fast as 3200 MB/sec for Audio/Video Cache application. It also has a great performance of Random 4KB Read/Write up to 450K/750K IOPS.

Features

- PCIe Gen4 x4 lane host interface.
- Max Speed: Read up to 3600 MB/s, Write up to 3200 MB/s.
- Capacities up to 4096GB.

Specifications

Form Factor	M.2 2280
Capacity	256GB-4096GB
Dimension	22.0 x 80.0 x 2.15 mm
Interface	PCIe Gen4 x4
NAND Flash	TLC
Power Supply	3.3V +/- 5%
Performance(MB/sec)	3600/3200

Ordering Information

Capacity	Commercial Temp	
256GB	FPK25621R7	
512GB	FPK51221R7	
1TB	FPK1T021R7	
2TB	FPK2T021R7	
4TB	FPK4T021R7	

Environmental Specifications

Operating Shock	1500G/0.5ms
Operating Vibration	80Hz~2000Hz/20G
Operating Temperature	0°C to 70°C
Storage Temperature	-40°C to 85°C

© 2017 Super Talent Technology. Specifications subject to change without notice. US patent # 6,547,130 and others apply. 1GB=1,000,000,000 Bytes. Usable capacity may be less than specified after formatting. Performance rating based on ATTO Disk Benchmark scores. Actual performance varies depending upon the system configuration and the application used. Performance is highly dependent upon test environment and use case.